

Extremely carrier frequency of the splice site IVS1+1G>A mutation in *GJB2* gene in the Yakut population is comparable to the carrier frequency of the sickle cell anemia in Africa

N.A. Barashkov, A.V. Solovyev, F.M. Teryutin, N.A. Solovyeva, V.G. Pshennikova, L.A. Klarov, O.G. Sidorova, L.V. Grigoryeva, G.P. Romanov, N.N. Gotovtsev, K.E. Savvinova, S.S. Nakhodkin, A.A. Kozhevnikov, L.M. Vasilyeva, E.E. Fedotova, M.V. Pak, S.N. Lekhanova, S.K. Kononova, A.M. Rafailov, A.N. Alexeev, O.L. Posukh, L.U. Dzhemileva, E.K. Khusnutdinova, S.A. Fedorova

ABSTRACT

This study presents data on the carrier frequency of IVS1+1 G>A mutation in *GJB2* gene, leading to autosomal recessive form of deafness among various ethno-geographical groups of Yakut population and in a random sample of the Yakuts. 350 DNA samples of hearing individuals from various ethno-geographical groups of Yakut population: Central (n=60), Vilyui (n=60), Northern (n=60) and random samples of Yakuts (n=170) were obtained from the DNA Bank of the Department of Molecular Genetics of Yakut Research Center of Complex Medical Problems of RAMS (Yakutsk, Russian Federation). The average carrier frequency of IVS1+1G>A mutation in Yakut population (n=350) detected was - 10.3%. Extremely carrier frequency of the splice site IVS1+1G>A mutation in *GJB2* gene in the Yakut population is comparable to the carrier frequency of the sickle-cell anemia in Africa, which may indicate a possible selective advantage of carriers of this IVS1+1G>A mutation in a subarctic climate.

Keywords: autosomal recessive deafness 1A, Eastern Siberia, sickle-cell anemia, Africa.

INTRODUCTION

Recently, it was found that Eastern Siberia, subarctic part of Russia, is the region with the most extensive accumulation of the IVS1+1G>A mutation in the world, as a result of founder effect in the unique Yakut population isolate (Asian background population) [5].

The extremely high carrier frequency of IVS1+1G>A mutation (11.7%) from six investigated populations (Yakuts, Dolgans, Evenks, Evens and Yukaghirs), has been found in Yakut population. The age of mutation was estimated to be approximately 800 years. These findings characterize Eastern Siberia as the region with the most extensive accumulation of IVS1+1G>A mutation in the world as a result of founder effect [5].

However, this extreme rate of carrier frequency could be due to the effect of the sample, as to calculate the carrier frequency two ethno-geographical (Central and Vilyui) groups of the Yakuts were used.

The aim of this study is to analyze the carrier frequency of the IVS1+1G>A splice site



mutation in the extended community sample of the Yakuts, involving northern ethno-geographical groups and random sample of the Yakuts.

MATERIAL AND METHODS

Sample

350 DNA samples of hearing individuals from various ethno-geographical groups of Yakut population: Central (n=60), Vilyui (n=60), Northern (n=60) and random samples of the Yakuts (n=170) were obtained from the DNA Bank of the Department of Molecular Genetics of Yakut Research Center of Complex Medical Problems of RAMS (Yakutsk, Russian Federation).

The genomic DNA was extracted from lymphocytes of peripheral blood. Amplification of the coding exon 2 and flanking intronic regions was performed using the following primers: Cx26A-U/Cx26U-L (F 5'-TCT-TTT-CCA-GAG-CAA-ACC-GC-3', R 5'-GAC-ACG-AAG-ATC-AGC-TGC-AG-3') (285 bp), [7] Cx342U/Cx739-L (F 5'-AGG-CCG-ACT-TTG-TCT-GCA-ACA-3', R 5'-GTG-GGC-CGG-GAC-ACA-AAG-3') (415 bp), [11] 5'-TAT-GTC-ATG-TAC-GAC-GGC-T-3', 5'-TCT-AAC-AAC-TGG-GCA-ATG-C-3' (239 bp). [6] Amplification of the noncoding exon 1 and flanking intronic regions was performed using primers Ex1-F/Ex1-R (F 5'-CCG-GGA-AGC-TCT-GAG-GAC-3', R GCA-ACC-GCT-CTG-GGT-CTC-3') with the addition of 10% Betaine (Sigma, USA) [12]. The products of PCR were subject to direct sequencing using the same primers on ABI PRISM 3130XL (Applied Biosystems, USA).

Ethics approval

All testing procedures were conducted with a written informed consent signed by parents. This work was approved by the local Bioethics Committee at the Yakut Research Center of Complex Medical Problems of Siberian Branch of the Russian Academy of Medical Sciences (Yakutsk, Protocol 16, on April 16, 2009).

RESULTS AND DISCUSSION

This study presents data on the carrier frequencies of IVS1+1G>A mutation in *GJB2* gene, leading to autosomal recessive form of deafness among various ethno-geographical groups of Yakut population and in a random sample of the Yakuts. In a sample of northern ethno-geographical groups of Yakuts were found 5/60 heterozygotes for the IVS1+1G>A splice site mutation in *GJB2* gene, carrier frequency - 8,3% (Table 1). The average carrier frequency of IVS1+1G>A mutation for all population samples Yakuts – 10,3%. In a random Yakut sample was found 17/170



heterozygotes, carrier frequency – 10,0% (Table 1).

The carrier frequency of IVS1+1G>A in the northern ethno-geographical group and in a random sample of the Yakuts are consistent with previously registered (11.7%) extremely high values of carrier frequency of IVS1+1G>A mutation in Yakut population [5]. The lower rate of mutation carriers in the northern group of the Yakuts (8,3%) compared with Vilyuy (10.0%) and Central (13.3%) groups is consistent with the results of haplotype analysis in which the most highest diversity of IVS1+1G>A haplotypes was found in the Central and Vilyuy subpopulations of Yakuts (excluding of the Yakutsk city), indicating that the expansion of mutant chromosomes on the territory of the Sakha Republic had started from the Lena-Amga interflaves area (Central district) [5]. Extremely high carrier frequency of the splice site mutation IVS1+1G>A in Yakuts (8,3-13,3%) living in Eastern Siberia in conditions of extreme continental climate can be explained not only by stochastic factors in the population dynamics and founder effect, shown earlier using different systems, such as STR-[5], and SNP-markers [1]. The selective advantage of heterozygous carriers of pathological alleles inherited autosomal-recessive disease known from classic example of sickle-cell anemia [2], common in Africa, South and South-East Asia (not uncommon in the Middle East and southern Europe) [10;13], as well as in the America [4]. Geographic stratification of the sickle-cell indicating an extremely high frequency of this disease near the equator [8], and evidence of the genetic adaptation of human populations to other common diseases in these regions - malaria [3]. The findings of the extremely high prevalence of mutations in the *GJB2* gene splice site in Eastern Siberia (in some sub-populations of the Yakuts to 13.3%) is comparable with the frequency of heterozygous carriers of sickle cell anemia in Africa (HbS allele), where the carrier frequency of HbS allele was higher than 10% registered only in certain areas, sub-Saharan Africa (Figure 1) [9]. Extreme values of the frequency of heterozygous carriers of a mutation IVS1+1G>A *GJB2* in the gene in Yakut population may indicate a possible selective advantage of carriers of this mutation in a subarctic climate.

ACKNOWLEDGEMENTS

We thank all patients and blood sample donors who have contributed to this study. This study was supported by the Russian Foundation for Basic Research (11-04-01221-a, 12-04-00342-a, 12-04-98520-r_vostok_a, 12-04-97004-r_povolzhye_a, 12-04-31230-mol_a), Federal Program «Scientific and educational staff for innovative Russia» (#16.740.11.0190, #16.740.11.0346), Integration project of SB RAS № 92 "Ethnogeny of indigenous peoples in Siberia and North Asia:



comparative, historical, ethno -social and genomic analysis”, and the Sakha Republic President Grant #79 for Young Researchers for 2013 year (RP #79 08.02.2013).

REFERENCES

1. Soloviev A.V. Barashkov N.A. Djemileva L.Y. et al. Blochnaya architectura preodkovogo gaplotipa mutatsii saita splaisinga IVS1+1G>A gena GJB2 (Cx26), v populyatsii yakutov (po dannim 7 SNP-markerov) [Modular architecture of the ancestral haplotype of the splice site mutation IVS1 +1 G> A gene GJB2 (Cx26), in the Yakut population (as of 7 SNP-markers)] Materialy mezhdunarodnoj konferencii "Vysokoproizvoditel'noe sekvenirovanie v genomike" [International Conference “High-throughput sequencing in genomics” HGS-2013]. Novosibirsk, Russia, July 21-25, 2013, p. 81.
2. Allison A.C. Protection afforded by sickle-cell trait against Subtertian malarial infection / A.C. Allison, D. Phil // British Med. J.-1954.-Feb.6.-P. 290-294.
3. Allison A.C. Malaria in Carriers of the Sickle-Cell Trait and in Newborn Children / A.C. Allison // Experimental parasitology.-1957.-Vol.6.-P. 418-447.
4. An empirical estimate of carrier frequencies for 400+ causal Mendelian variants: results from an ethnically diverse clinical sample of 23,453 individuals / G.A. Lizarin, I.S. Haque, S. Nazareth [et al.] // Genet Med.-2013.-Vol.15.-P. 178-86.
5. Autosomal recessive deafness 1A (DFNB1A) in Yakut population isolate in Eastern Siberia: extensive accumulation of the splice site mutation IVS1+1G>A in GJB2 gene as a result of founder effect / N.A. Barashkov, L.U. Dzhemileva, S.A. Fedorova [et al.] // Journal of Human Genetics.-2011.-Vol. 56, №8.-P.631-639.
6. Connexin 26 mutations associated with the most common form of non-syndromic neurosensory autosomal recessive deafness (DFNB1) in Mediterraneans / L. Zelante, P. Gasparini, X. Estivill [et al.] // Hum. Mol. Genet.-1997.-Vol. 6.-P. 1605-1609.
7. Connexin 26 mutations in hereditary non-syndromic sensorineural deafness / D.P. Kelsell, J. Dunlop, H.P. Stevens [et al.] // Nature.-1997.-Vol. 387, №6628.-P. 80-83.
8. Global distribution of the sickle cell gene and geographical confirmation of the malaria hypothesis / F.B. Piel, A.P. Patil, R.E. Howes [et al.] // Nat Commun.-2010.-DOI: 10.1038/ncomms1104.



9. Global epidemiology of sickle haemoglobin in neonates: a contemporary geostatistical model-based map and population estimates / F.B. Piel, A.P. Patil, R.E. Howes [et al.] // Lancet.-2013.-Vol. 381.-P. 142-151.
10. Modell B. Global epidemiology of haemoglobin disorders and derived service indicators / B. Modell, M. Darlison // Bull World Health Organ.-2008.-Vol. 86, №6.-P. 480-7.
11. Novel mutations in the connexin 26 gene (*GJB2*) that cause autosomal recessive (DFNB1) hearing loss / P.M. Kelley, D.J. Harris, B.C. Comer [et al.] // Am. J. Hum. Genet.-1998.-Vol. 62, №4.-P. 792-799.
12. Sirmaci A. The c. IVS1+1G>A mutation in the *GJB2* gene is prevalent and large deletions involving the *GJB6* gene are not present in the Turkish population / A. Sirmaci, D. Akcayoz-duman, M. Tekin // Journal of Genetics (Indian academy of sciences).-2006.-Vol. 85, №3.-P.213-216.
13. Weatherall D.J. Inherited haemoglobin disorders: an increasing global health problem / D.J. Weatherall, J.B. Clegg // Bull World Health Organ.-2001.-Vol. 79, №8.-P.704-12.
14. Web site NCBI (OMIM) Web site NCBI (OMIM): (<http://omim.org/entry/220290>), (<http://omim.org/entry/121011>).

The authors:

Barashkov Nikolai Alexeevich- PhD, Researcher, Laboratory of Molecular Genetics, FGBU "Yakut Scientific Center of Complex Medical Problems", Siberian Branch of the Russian Academy of Medical Sciences. Work address: 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel. / Fax: 8-(4112)-32-19-81; e-mail: barashkov2004@mail.ru;

Solovyev Aisen Vasilievich - Research Engineer, Research Laboratory of Molecular Biology, Institute of Natural Sciences, Federal State Autonomous Educational Institution of Higher Professional Education "North- Eastern Federal University named after M.K. Ammosov", 677010, st. Kulakovskogo, 36, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) 49-68-42 e-mail: nelloann@mail.ru;

Teryutin Fyodor Mikhailovich- Junior Researcher, Laboratory of Molecular Genetics, FGBU "Yakut Scientific Center of Complex Medical Problems", Siberian Branch of the Russian Academy of Medical Sciences. Work address: 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) -32-14-73, e-mail: rest26@mail.ru;

Solovyova Natalia Alexeevna - PhD, Associate Researcher, Laboratory of Molecular Genetics FGBU "Yakut Scientific Center of Complex Medical Problems", Siberian Branch of the Russian



Academy of Medical Sciences. 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia), Russia. Off. tel. / fax: 8-(4112) -32-19-81; e-mail: sonata608@yandex.ru;

Pshennikova Vera Gennad'evna - Research Assistant, Laboratory of Molecular Genetics, FGBU "Yakut Scientific Center of Complex Medical Problems", Siberian Branch of the Russian Academy of Medical Sciences. Work address: 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel. / fax: 8-(4112)-32-19-81, e-mail: pshennikovavera@mail.ru

Clarov Leonid Alexandrovich - head of the Magnetic Resonance Imaging, State Budget Institution of the Republic of Sakha (Yakutia) Republic hospital number 2 - Center for Emergency Medicine, 677005, Pyotr Alexeyev Str. 83, Yakutsk, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) 43-24-29; e-mail: eizoniks@gmail.ru;

Sidorova Oksana Gavrilevna - Junior Researcher, Laboratory of Molecular Genetics, FGBU "Yakut Scientific Center of Complex Medical Problems", Siberian Branch of the Russian Academy of Medical Sciences. Work address: 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) -32-14-73.

Grigorieva Lena Valer'evna - MD, PhD, Head of the Laboratory of Immunopathology, FGBU "Yakut Scientific Center of Complex Medical Problems", Siberian Branch of the Russian Academy of Medical Sciences. Work address: 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel. / Fax: 8-(4112) -32-19-81;

Romanov Georgy Prokopievich - Research Assistant, Research Laboratory of Molecular Biology, Institute of Natural Sciences, Federal State Autonomous Educational Institution of Higher Professional Education "North- Eastern Federal University named after M.K. Ammosov", 677010, st. Kulakovskogo 36, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) 49-68-42, e-mail: gromanov@gmail.com

Gotovtsev Nyurgun Naumovich - a student of the Institute of Natural Sciences, Federal State Autonomous Educational Institution of Higher Professional Education "North- Eastern Federal University named after M.K. Ammosov", 677000, st. Kulakovskogo , 48, Yakutsk, Republic of Sakha (Yakutia), Russia, e-mail: Donzcrew@mail.ru

Savvinova Kyunney Egorovna - a student of the Institute of Natural Sciences, Federal State Autonomous Educational Institution of Higher Professional Education «North- Eastern Federal University named after M.K. Ammosov", 677000, st. Kulakovskogo, 48, Yakutsk, Republic of Sakha (Yakutia), Russia, e-mail: Potapova.kyuna @ mail.ru

Nakhodkin Sergey Sergeevich - Junior Researcher, Research Laboratory of Molecular Biology, Institute of Natural Sciences, Federal State Autonomous Educational Institution of Higher



Professional Education "North- Eastern Federal University named after M.K. Ammosov", 677010, st. Kulakovskogo, 36, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) 49-68-42, e-mail: sergnaxot@mail.ru

Kozhevnikov Alexander Alexandrovich - Director of the National Center of occupational diseases, the State Budget Institution of the Republic of Sakha (Yakutia) Republic hospital number 2 - Center for Emergency Medicine, 677005, Pyotr Alexeyev, 83, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) 43-24-29.

Vasilyeva Lena Maksimovna - surdopedagog, Republican Surdologopedical Center, State Budget Institution of the Republic of Sakha (Yakutia), Republic hospital number 1 - The National Center of Medicine, 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel . : 8-(4112) 39-53-20; e-mail: sakhasurdo@mail.ru

Fedotova Elvira Egorovna - MD, a physician audiologist, otolaryngologist, chief out-of-staff specialist audiologist of the Ministry of Health of the Republic of Sakha (Yakutia), Head of the Republican surdologopedichal Center, State Budget Institution of the Republic of Sakha (Yakutia) Republic hospital number 1 - The National Center of Medicine, 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) 39-53-20; e-mail: sakhasurdo@mail.ru;

Pak Maria Vladimirovna - graduate student, Medical Institute, Federal State Autonomous Educational Institution of Higher Professional Education "North- Eastern Federal University named after M.K. Ammosov", 677010, st. Oyunskiy, 27, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) 36-30-46;

Lekhanova Sargylana Nikolaevna - PhD, Associate Professor, Institute of Medicine, Federal State Autonomous Educational Institution of Higher Professional Education "North- Eastern Federal University named after M.K. Ammosov", 677010, st. Oyunskiy, 27, Yakutsk, Republic of Sakha (Yakutia), Russia. Office tel.: 8-(4112) 36-30-46

Kononova Sardana Kononovna - PhD, Senior Researcher, Laboratory of Molecular Genetics, Federal State Institution "Yakut Scientific Center complex medical problems" the Siberian Branch of the Russian Academy of Medical Sciences, 677010, Sergelyakhskoe highway, 4 Yakutsk, Republic of Sakha (Yakutia), tel / fax: (4112) 32-19-81, e-mail: konsard@rambler.ru;

Raphailov Adyum Mikhajlovich - PhD, associate professor, Department of Biology, Faculty of Biology and Geography, Federal State Autonomous Educational Institution of Higher Professional Education "North- Eastern Federal University named after M.K. Ammosov" Work address : 677010, st. Kulakovskogo , 48, Yakutsk, Republic of Sakha (Yakutia), Russia. Tel.: 8-(4112) 49-68-42 e-mail: archinay@mail.ru;



Alekseev Anatoly Nikolaevich- PhD, Professor, Director, Federal State Institution of Science Institute of Humanitarian Research and Indigenous Peoples of the North, Siberian Branch of the Russian Academy of Sciences, 677007, Yakutsk, st. Petrovsky, 1, Republic of Sakha (Yakutia), Russia. tel / fax : 8 (4112) 39-00-36, e-mail: secretar@igi.ysn.ru

Posukh Olga Leonidovna - PhD, Senior Scientist, Laboratory of Human Molecular Genetics, Federal State Institution of Science Institute of Cytology and Genetics, Siberian Branch of the Russian Academy of Sciences, Novosibirsk, Russia. 630090, Lavrentiev avenue, 10, tel.: 8 (383) 363-49-44 (2210), Fax: 8-(383) 333-12-78, e-mail posukh@bionet.nsc.ru;

Dzhemileva Lily Useinovna - Ph.D., Senior Scientist, Laboratory of Human Molecular Genetics, Federal State Institution of Science Institute of Biochemistry and Genetics, Ufa Scientific Center of the Russian Academy of Sciences, 450054, pr October, 71, Ufa, Russia. tel / fax : 8-(3472) 35-60-88, e-mail: dzhemilev@mail.ru;

Khusnutdinova Elsa Kamilevna - Ph.D., Professor, Head of Genomics Dep., Federal State Institution of Science Institute of Biochemistry and Genetics, Ufa Scientific Center of the Russian Academy of Sciences, 450054 , pr October, 71 Ufa, Russia. tel / fax : 8-(3472) 35-60-88, e -mail: elkh@anrb.ru;

Fedorova Sardana Arkadevna - Ph.D., Head of Laboratory of Molecular Genetics, FGBU "Yakut Scientific Center of Complex Medical Problems", Siberian Branch of the Russian Academy of Medical Sciences. Work address: 677010, Sergelyakhskoe highway, 4, Yakutsk, Republic of Sakha (Yakutia). Office tel. / Fax: 8-(4112) 32-19-81; e-mail: sardanaafedorova@mail.ru.